



Chandigarh Judicial Academy

Sector-43-D, Chandigarh – 160022

Ph.No.0172-6662440 Fax No.0172-6662178

Website: www.cja.gov.in e-mail id: admn@cja.gov.in

No. Dir/CJA/2023/212

Dated:-17.01.2023

CHANDIGARH JUDICIAL ACADEMY SECTOR 43-D, CHANDIGARH

Tender No. Dir/CJA/2023/212/G dated 17.01.2023

Tenders are invited via the E-tendering process for the supply, installation, testing, and commissioning of 115 IP CCTV Cameras in the Chandigarh Judicial Academy on the tender form available at the website <https://etenders.chd.nic.in/>. A complete set of requests for proposal documents, including all terms and conditions, is also available for download from the Academy's website, www.cja.gov.in. Offers must be submitted by 11.02.2023 till 04:00 p.m.

Sd/-

**Director (Administration)
Chandigarh Judicial Academy**



Chandigarh Judicial Academy

Sector-43-D, Chandigarh – 160022

Ph.No.0172-6662440 Fax No.0172-6662178

Website: www.cja.gov.in e-mail id: admn@cja.gov.in

REQUEST FOR PROPOSAL

(Hereinafter to be referred “RFP”)

E-TENDER FOR SUPPLY, INSTALLATION, TESTING &


COMMISSIONING OF 115 IP CLOSED CIRCUIT

TELEVISION

(Hereinafter to be referred “CCTV”)

CAMERAS IN CHANDIGARH JUDICIAL ACADEMY

SECTOR 43 CHANDIGARH



Chandigarh Judicial Academy

Sector-43-D, Chandigarh – 160022

Ph.No.0172-6662440 Fax No.0172-6662178

Website: www.cja.gov.in e-mail id: admn@cja.gov.in

IMPORTANT INFORMATION

Tender No. Dir/CJA/2023/212	Dated 17.01.2023
Availability of the RFP document	The RFP document is available for download from CJA websites, www.cja.gov.in and https://etenders.chd.nic.in/ .
Amount of EMD to be deposited online	₹ 2,00,000/-
Services to be offered	Supply, Installation, Testing & Commissioning of 115 IP CCTV Cameras in CJA
Minimum Validity of tender offer	120 days from the opening of the commercial bid or six months from the last date for bid submission, whichever comes first.
Pre-Bid Meeting	20.01.2023 On (11:00am) in CJA
Last date of submission of bids online	11.02.2023 Till 04:00 PM
Last date and time for submission of hard copies of technical bid at CJA	13.02.2023 Till 04:00 PM
Opening of pre-qualification cum Technical Bid	14.02.2023 On (10:00 AM) in CJA
Language of the bid	This bid should only be submitted in English.

1. INTRODUCTION

The Chandigarh Judicial Academy (hereinafter to be referred “CJA”) is seeking proposals via e-tender for the Supply, Installation, Testing, and Commissioning of 115 IP CCTV Cameras in the CJA Campus, both indoor and outdoor.

2. SCOPE OF WORK

The purpose of CCTV is to ensure that the entire CJA campus is always secure. Bidders are required to inspect the entire CJA campus prior to submitting an offer. No claim shall be entertained later, the basis of ignorance of any of these conditions. The layout of CJA shall be provided for marking/location of CCTV cameras at the time of inspection only.

Interested vendors can contact the Concerned Persons Sh. Aman Kumar Mob. 9855998721 (Contact No.0172-6662171, 177, 241) on any working day between 10 a.m. and 4 p.m. to determine the nature and scope of services to be provided.

3. KEY ACTIVITIES

The following activities are scheduled for the purpose of the RFP:

Sr. No.	Key activities	Date and Time
1	Pre bid meeting for firms who are interested in submission of proposal	20.01.2023 On (11:00am) in CJA
2	Last date and time for submission of proposal	11.02.2023 Till 04:00 PM
3	Last date and time for submission of hard copies of technical bid at CJA	13.02.2023 Till 04:00 PM
4	Opening of pre-qualification and technical bid	14.02.2023 at 10:00 AM
5	Opening of commercial bids	To be announced subsequently

Note:

- a. CJA shall not be liable for any delay caused by any reason, including network/postal delivery, for non-receipt/non-delivery of the documents;
- b. Any modification in the RFP document shall be made by CJA exclusively through the issuance of an Addendum/corrigendum on the official website i.e. cja.gov.in;
- c. **Annexure I** contains the required specifications for CCTV cameras and other equipment.
- d. The successful Bidder shall furnish an undertaking regarding the acceptance of the terms and conditions as mentioned in the present RFP document in **Annexure II**.
- e. If any of the days in the above-mentioned schedule falls on a Gazetted Holiday, the activity shall be scheduled for the following working day.

4. **Eligibility Criteria for Original Equipment Manufacturers (hereinafter referred to as "OEM") of CCTV Components:**

#	Criteria	Supporting Document/Enclosures
1	Under the Company Act, 1956/2013, the OEM of cameras and NVRs is required to have had a presence and registered office in India for the previous ten years. The acquisition of a presence through a distributor or dealer network, a joint venture, a subsidiary, or a consortium shall not be considered an OEM entry into the CCTV business.	Any government department or agency's certificate of incorporation and purchaser's order copy
2	The OEMs of components such as IP cameras, storage, NVR/VMS software, and network switches should not be blacklisted, banned, or barred by any government agency in any country. The OEM should not be charged or prosecuted for any cheating or fraud case(s) in India and abroad for their respective product lines.	Declaration of OEM on affidavit
3	The OEM of a CCTV camera should be a full-time member of the Open Network Video Interface Forum (hereinafter referred to as ONVIF) , not a user, and quoted models should be listed on the official website of ONVIF. The CCTV OEM should not be suspended or blacklisted by ONVIF. The following official website shall be used to verify this: https://www.onvif.org/about/member-list/	OEM declaration on Letterhead supported by valid up-to-date certificates (valid as on technical bid opening date)
4	The OEM of CCTV component should possess Capability Maturity Model Integration (hereinafter referred to as "CMMI") Level 5 certification or above.	Copy of the CMMI Certificate
5	The OEM of CCTV component should possess valid General Data Protection Regulation (GDPR) certification.	Copy of up-to-date GDPR Certificate
6	The OEM of CCTV component should possess following valid ISO Certifications for Quality, Environment, Security management, Health & Safety Management system, etc. for manufacturing of all types of Cameras, NVR/ DVR and allied component: <ul style="list-style-type: none"> • ISO 9001:2015- Certification of quality management system; • ISO 14001:2015- Certification of Environmental management system; • ISO 27001:2013- Certification of Security 	Copy of up-to-date ISO Certificates

	standards <ul style="list-style-type: none"> • ISO 45001:2018- Certification of occupational health and safety (OH&S) management system • ISO 27032:2012- Certification of Cyber Security standards and framework 	
7	<p>All the CCTV components, such as cameras, NVRs, etc., should be from the same OEM for seamless integration and ease of operation.</p> <p>All OEM should possess valid appropriate certificates from:</p> <ul style="list-style-type: none"> • UL (Underwriters' Laboratories); • CE (Conformité Européenne); • FCC(Federal Communications Commission); • RoHS (Restriction of Hazardous Substances Directive); • BIS (Bureau of Indian Standards) 	Declaration of OEM on Letterhead along the copy of valid up-to-date certificates
8	During the last three financial years ending March 31, 2022, the OEM should have had an average annual turnover of INR 500 crores.	Audited balance sheets from statutory auditor till March, 2022
9	The OEM of CCTV components is required to have a Tri City office and service/support center.	Certificate of office establishment and statutory tax registration certificates such as a trade license, a GST registration certificate, etc. are to be provided
10	The OEM of a CCTV component should comply with "Make in India" policy and guidelines as laid out by the Government of India. The OEM of the CCTV component should also comply with all subsequent guidelines and orders published by various departments of the Government of India, such as the Department of Expenditure (Ministry of Finance), CERT-IN, MeitY, DIPP, DOT, etc.	Certificate of Statutory Authority
11	The camera OEM should be a genuine manufacturer and should have an official, valid, and latest version of the H.266 or above HEVC certificate and should be listed on the HEVC website at the time of submitting the bid. They should be paying the license fee for using genuine HEVC compression legally. The following official website shall be used to verify this: https://www.mpegla.com/programs/hevc/licensees/	Declaration of OEM on Letterhead
12	The OEM shall provide Site Engineer at the CJA	Declaration of OEM on Letterhead

	Campus till warranty Period.	
13	OEM is required to give the Warranty for 3 Years	Declaration of OEM on Letterhead

5. Security Deposit (SD):

- a. A security deposit amount of 10% of the basic order value shall be deposited by the successful bidder in the form of a demand draft in favour of CJA;
- b. The demand Draft of a scheduled commercial bank be deposited within 15 days of receipt of the purchase order;
- c. The security deposit shall not earn interest, and the successful bidder shall get his or her money back through an electronic bank transfer only after the work has been done to the satisfaction of the CJA;
- d. All sums of compensation or other sums of money as determined, if any, to be payable by the bidder may be deducted from the security deposit.
- e. Security deposit stands forfeited in the event of:
 - i. Failure to supply items, equipment, services as per Purchase Order after acceptance;
 - ii. Violation of the tender conditions by the bidder;
 - iii. Withdrawal of the bid by the bidder during the period of bid validity;
 - iv. Non acceptance of the correction of errors by the bidder,
 - v. Failure of the bidder to sign the contract within the stipulated time;
 - vi. Failure to accept the Letter of Intent by the bidder within the stipulated time;
 - vii. Unsatisfactory performance of the bidder.

6. Payment Method

Payment terms are as follows:

- i. 50 % of basic order value along with full taxes and duties shall be made within 15 days against receipt of accepted material or bill whichever is later;
- ii. 40 % of basic order value shall be made within 15 days after successful testing and commissioning of CCTV Camera;
- iii. 10 % of the basic order value shall be retained for a period of 6 months from the date of commissioning as performance guarantee.

7. BIDDING PROCESS

The tender forms can be downloaded from the website of CJA www.cja.gov.in and <https://etenders.chd.nic.in/>.

8. Bid Submission:

- i. The tender documents shall be uploaded in 2 covers: -
 - a. **Cover-1-** shall contain scanned copies of Earnest Money document and other documents as per conditions mentioned below at **point xii** (submission of bids) and checklist of the tender notice;

- b. **Cover-2-** shall contain Financial Bid.
- ii. Bidders are advised to study the tender document carefully. Submission of the bid shall be deemed to have been done after careful study and examination of all instructions, eligibility norms, terms, and requirement specifications in the RFP document with full understanding of its implications. Bids not complying with all the given clauses in this RFP document are liable to be rejected. Failure to furnish all information required in the RFP document or the submission of a bid that is not substantially responsive to the RFP document in all respects will be at the bidder's risk and may result in the rejection of the bid;
 - iii. All the bids must be valid for a period of 120 days from the opening of the commercial bid or six months from the last date of submission of the bids, whichever is later. If needed, CJA may extend the validity period beyond 120 days;
 - iv. The bidders not agreeing to such extensions shall be allowed to withdraw their bids without forfeiture of their earnest money deposit;
 - v. The bidders shall have to submit their bids online in electronic format with digital signatures. For participation in the e-tendering process, bidders are required to register themselves at <http://etenders.chd.nic.in/>;
 - vi. The bid must be submitted electronically via the website <http://etenders.chd.nic.in/> Scanned copies of the earnest money deposit and affidavit, etc., must be uploaded along with the bid within the prescribed time limit;
 - vii. The agency is required to produce the original documents as and when asked for by the CJA. The failure of the agency to furnish the said original documents shall entail a summary rejection of its tender;
 - viii. A bidder's submission of a tender shall imply that he has read this notice and all other contract documents and has made himself aware of the scope and specifications of the work to be done and of the conditions;
 - ix. The bid must include the rates for the entire project, as detailed in Annexure I and II. CJA reserves the right to negotiate the rates as well as the terms and conditions as it may deem necessary before allotting the work;
 - x. Each of the tender documents is required to be signed by the person or persons submitting the tender as a token of his or their having acquainted themselves with the general conditions of the contract, the general specifications, the special conditions, etc., as laid down. Any tender with any of the documents not so signed may be rejected;
 - xi. The tender submitted on behalf of a firm shall be signed by all the partners of the firm or by a partner who has the necessary authority on behalf of the firm to enter into the proposed contract. Otherwise, the tender may be rejected by CJA;
 - xii. **SUBMISSION OF BIDS:**
 - a. Tenders without digital signatures shall not be accepted by the electronic tendering system. The documents of the technical bid are required to be uploaded on the portal, and the same copies should be submitted to the CJA in physical

form. If they have not been submitted in physical form, they shall be rejected summarily;

- b. Before submission of on-line bids, bidders must ensure that scanned copies of all the necessary documents have been uploaded with the bid, failing which the tender shall be rejected summarily;
- c. It shall be mandatory for all the bidders to upload all the documents within the prescribed time limit;
- d. The sealed technical bid should be delivered to "The Office of Director (Administration), Chandigarh Judicial Academy, Sector 43, Chandigarh -160022" by **13.02.2023 Till 04:00 PM**;
- e. The CJA shall not be responsible for any delay in the on-line submission of the bids due to any reason whatsoever;
- f. The details of the earnest money deposit specified in the tender documents must be the same as those submitted on-line (scanned copies); otherwise, the tender is liable to be rejected summarily;
- g. If a correction is made by CJA before an online bid is received, it shall only be posted on CJA website (www.cja.gov.in). It shall be up to the contractor to change its bid to fit the new information;
- h. The bidder should submit his valid email-id in the undertaking for further correspondence regarding the tender;
- i. The bid submitted shall become invalid and rejected if:
 1. the bidder does not upload all the documents required by the bid documents, such as service tax registration, VAT registration, and Sales tax registration;
 2. if there are any differences between the documents that were uploaded at the time of the bid and the hard copies that the bidders brought to the office of the tender opening authority;
 3. not filling out all the fields in both the technical and financial bids;
 4. the details of the EMD specified in the tender documents do not match those submitted online (scanned copies);
- j. A list of documents to be scanned and uploaded within the period of bid submission. List of Documents include:
 - i. All Supporting Document mentioned in **Point 4 i.e.** Eligibility Criteria;
 - ii. Certificate of Valid Registration for GST/ST/VAT and acknowledgement of up to date filed return;
 - iii. Signed and Stamped all Performs, Particulars of Bidders, Experience details of the tender document and **Annexure III to Annexure V**;
 - iv. Signed and Stamped Copies of the documents as mentioned in the tender document;

- xiii. Scanned copies of all required tender documents should be prepared in accordance with the RFP procedures and uploaded to the portal <http://etenders.chd.nic.in/> on or before **11.02.2023 Till 04:00 PM;**
- xiv. Each page of the tender documents must be stamped and signed by the person or persons authorized to submit the tender as proof of familiarity with and acceptance of the entire tender documentation, including various contract conditions. Any bid with any of the documents not so signed is liable to be rejected at the discretion of the CJA. **NO PAGE SHOULD BE REMOVED/DETACHED FROM THE BIDDING DOCUMENT;**
- xv. For any clarification on the bid document and its terms and conditions, a pre-bid meeting will be held with the interested firms. Prospective bidders may also be requested to submit their points for clarification during the pre-bid meeting, or they may send the mail to the e-mail address (adm@cja.gov.in) before the date of the pre-bid meeting.

8. EARNEST MONEY DEPOSIT:

The bidder is required to pay an earnest money deposit of ₹ 2,00,000/- via online mode at the time of submitting the bid documents.

9. LAST DATE FOR SUBMISSION OF BIDS:

- a. Bids, complete in all respects, must be uploaded on the e-tendering portal by the due date and time as mentioned above in this RFP;
- b. The CJA may, at its discretion, extend the date for the submission of bids. In such a case, all rights and obligations of the CJA and the bidders shall be continue in the same manner;
- c. At any time prior to the last date for receipt of bids, the CJA may, for any reason, whether on its own initiative or in response to a clarification requested by a prospective bidder, amend the RFP document. The amendment will be uploaded on the CJA website and should be taken into consideration by prospective bidders while preparing their bids;
- d. In order to give prospective bidders reasonable time to take the amendment into account in preparing their bids, the CJA may, at its discretion, extend the last date for the receipt of bids. No bid may be modified by the bidder subsequent to the last date for the receipt of bids. No bid may be withdrawn in the interval between the last date for receipt of bids and the expiry of the bid validity period specified by the bidder in the bid. Withdrawal of a bid

during this interval may result in forfeiture of the bidder's EMD;

- e. The bidders shall bear all costs associated with the preparation and submission of their bids. The CJA shall, in no case, be responsible or liable for those costs, regardless of the outcome of the bidding process.

10. OPENING OF BIDS

Pre-Qualification cum Technical Bid

- a. Technical bid will be opened on **14.02.2023 at 10:00 AM**.
- b. The bids will then be passed on to a duly competent authority for further evaluation.

11. EVALUATION OF THE BIDS:

- a. The prequalification and technical bids shall be evaluated by a tender committee. The first process for the committee is to examine the eligibility of the bidders as per the eligibility criteria. Bids not satisfying the eligibility criteria shall be rejected. However, the committee reserves the right to call for additional information from the bidders to fully establish their eligibility. Such information should be submitted within the time-frame set by the competent authority; otherwise, the bid may not be considered for further evaluation;
- b. Subsequently, the competent authority would examine the technical details, may ask for additional information, and may call the eligible bidders for a presentation of the projects handled by them and quoted in their bids. The time limit within which the bidders have to submit the additional information or present their projects will be decided by the competent authority, and its decision will be final in this regard. The bidders shall also assist the competent authority in getting relevant information from the bidders' references. Bidders failing to adhere to the specified time limit will not be considered for further evaluation;
- c. The competent authority may also ask the bidders to show a sample of the proposed material as mentioned in Annexure I, which would form part of the evaluation.

FINANCIAL BIDS:

- a. The financial bids of the qualified bidders shall be opened on a date and time duly notified through the portal;
- b. The negotiation shall be carried out by a competent authority;

- c. The competent authority reserves the right to award the work in part or in whole at the individual costs quoted in the commercial bids.

12. AWARD OF CONTRACT

- a. A letter of intent shall be issued by the CJA to the successful bidder. The successful bidder shall accept the said letter of intent within 10 days from the date of its issue and shall communicate its acceptance to the CJA;
- b. The award of work shall be subject to the decision of the Hon'ble Board of Governors, CJA, which shall be final and binding;
- c. The successful bidder shall submit a security deposit (as also mentioned in Pont No. 5) of 10% of the total value of the contract or work order from a scheduled commercial bank for the entire duration of the contract period in the form of a demand draft in favour of Chandigarh Judicial Academy, Chandigarh;
- d. The conditions stipulated in the contract shall be strictly adhered to, and violation of any of these conditions by the bidder will entail termination of the contract without prejudice to the rights of the CJA. In addition, CJA shall be free to forfeit the EMD/security deposit and get the assigned work done from alternate sources at the risk and cost of the defaulting bidder.

13. INDEMNITY

- a. The successful bidder shall indemnify CJA of all legal consequences of its professionals deployed for the said project;
- b. The CJA also stands absolved of any liability on account of death or injury sustained by the manpower and the workers deputed by the agency during the performance of the work, and also for any damages or compensation due to any dispute between the agency and its workers.

14. TERMINATION OF CONTRACT

- a. If the agency goes bankrupt or is otherwise unable to pay, the CJA can cancel the work order at any time by giving the agency one week's written notice and not paying the agency anything;
- b. For providing inferior quality services, the "CJA" reserves the right to cancel the work order. In this eventuality, the security deposit shall be forfeited;
- c. In case the contract is not completed as per the agreed terms & conditions then CJA shall have the right to get the work completed from another source and the cost of getting the work completed shall be borne by the defaulting bidder ;
- d. If the contractor wants to exit from the contract, he/she may terminate it by giving 10 days' written notice;
- e. The CJA reserves the right to verify the particulars furnished by the bidder independently. If any information furnished by the applicant is found to be

incorrect at a later stage, the firm or contractor shall be barred from future tendering with the CJA;

- f. Further "Corrigendum" or "Addendum" (if any) shall be issued on the CJA website only, and prospective bidders have to keep checking our website for any additional instructions or Addendum, if any, until 48 hours before tender submission time. If bidders quote the tender without attaching it or the addendum, if there is one, they will be turned down;
- g. The CJA reserves the right to select or reject one or more bidders. The CJA does not bind itself to accept the lowest or any tender and reserves the right to accept or reject any or all tenders, either in whole or in part, without assigning any reasons whatsoever;
- h. Conditional tenders are liable to be rejected. Any dispute, if any, will be subject to jurisdiction of court in Chandigarh only;
- i. Also, CJA shall have the unrestricted right to cancel the contract if the successful bidder breaks it in any way, including, but not limited to, if any of the following events or circumstances happen:
 - i. The performance security deposit was not submitted within the stipulated time as mentioned in the RFP;
 - ii. Defaulting to achieving milestones and affecting the overall schedule
- j. While all efforts have been made to avoid errors in the drafting of the tender document, the bidder is advised to check the same carefully. No claim on account of any errors detected in the tender documents shall be entertained.

15. ARBITRATION

All disputes or differences between the parties arising out of or relating to this agreement or its breach, including all claims for damages and compensation, shall be settled amicably. In case the dispute is not amicably settled, it shall be referred to the arbitrator as per the provisions of the Arbitration and conciliation Act, 1996. The law relating to arbitration shall apply to the arbitration proceedings. The venue for the arbitration proceedings shall be Chandigarh, and the courts at Chandigarh shall have exclusive jurisdiction.

Sd/-
Director (Administration)
Chandigarh Judicial Academy

LIST OF CCTV/MATERIAL REQUIRED (ANNEXURE I)			
Sr. No	Material	Technical Specifications	Qty
1	4MP ANPR Camera	<u>AS MENTIONE D IN ANNEXURE 2</u>	1
2	4MP VF Bullet Camera		2
3	4MP Fixed Lens Vandal Dome Camera		23
4	2MP Fixed Lens Vandal Dome Camera		85
5	2MP 25X PTZ Camera		4
6	64CH NVR with 8 HDD		2
7	4 Port Gigabit POE Switch with Fiber Port		4
8	16 Port Gigabit POE Switch		10
9	24 Port Gigabit POE Switch		2
10	CAT6 Cable		on Actual Basis
11	4U Rack Outdoor		4
12	9U Rack		1
13	Hard Disk		12
14	Connector		on Actual Basis
15	Professional Display Panel 24x7 size 55" LED		2
16	6 KVA Online UPS with 30 min Backup		1
17	Supplying and installation of OFC,6 Core Single Mode	<u>ON ACTUAL BASIS</u>	
18	3 Core Power Cable (In Meter)		
19	Pigtail LC-LC Type(Per Pcs)		
20	HDMI Cables - 10 Meter		
21	Junction Box		
22	Media Converter		
23	Fiber Splicing (Single Point)		
24	PVC conduit Heavy Duty 25 mm dia 2 mm Thickness with greenline printing		
25	HDPE 40 mm		
26	Hard soil Digging/Road Crossing Per meter		
27	Soft Soil Digging 4 Ft. Minimum (As per Actual Basis)		
28	15 Ft Pole For Outside Enclosure		
29	Junction Box For Camera to protect Cable & Connector joint		
30	Accessories - Flexible pipe, Power Socket etc		
31	Supply, installation, testing, and commissioning of 115 IP CCTV		

ANNEXURE II**CCTV Cameras with other components Specifications and Technical Compliance**

1)	4 MP ANPR Camera (Automatic Number Plate Reader Camera)	Compliance (Yes/No) Also Mention Model and Make
Feature	Specification	
Main Processor	High-performance embedded processor	
Image Sensor	1/1.9" CMOS or better	
Shutter Mode	Single shutter	
Electronic Shutter Speed	1/50 s–1/10000 s (manual/auto)	
Exposure Mode	Full auto, customized auto, customized	
Iris Control	Fixed iris/manual iris/auto iris/P iris	
Image Resolution	2650 × 1500	
Lens	Built-in 10 mm–48 mm motorized vari-focal lens or Better	
Video Resolution	4M (2650 × 1500)/1080P (1920 × 1080)/UXGA (1600 × 1200)/720P (1280 × 720)/D1 (704 × 576)/CIF (352 × 288)	
Video Frame Rate	Maximum 25fps; main stream (2650 × 1500@25fps), (1920 × 1080@50/60fps), sub stream (1580 × 1180@25fps)	
Video Compression	H.265/H.264	
Picture Encoding Format	JPEG	
WDR	85dB or Better	
White Balance	Auto/ manual	
Noise Reduction	2DNR/3DNR	
HLC	Support	
Bad Pixel Correction	Yes	
Edge Enhancement	Yes	
Trigger Mode	Video detection	
OSD Overlay	Motor vehicles: Time, lane (number, direction), plate (number and color), speed, region, vehicle color, vehicle logo, vehicle type Non-motor vehicle :plate (number and color)	
Storage	FTP, SD card (maximum 256GB@Class10)	
Alarm Event	Storage full, storage error, external alarm, no storage card, license plate blacklist, illegal access, network disconnection, and IP conflict	
Automatic Network Replenishment (ANR)	Platform, FTP (SD Card Required)	
Image Tampering Prevention	Yes. Watermark and verification are available for videos and pictures	
Time Synchronization	Yes. NTP	
Security	Authorized username and password, MAC address binding, HTTPS encryption, and network access control	
Drawing Detection Line	Supports automatically drawing detection lines	
Auto Registration	Yes	
Target Detection	Motor vehicles and non-motor vehicles	
License Plate Recognition	Adopts self-developed algorithm to recognize license plates combining numbers and letters	
Vehicle Type Recognition	Vehicle head: Coach bus, medium bus, SUV, MPV, pickup, heavy truck, medium truck, car, van, and light truck Vehicle tail: SUV, car, van, coach bus, pickup, cargo truck, mini truck, tank truck, and mixer truck	

Vehicle Color Recognition	White, pink, black, red, yellow, gray, blue, green, amber, purple, brown, silver gray (color cannot be recognized in IR mode during night time)	
Video Metadata	Motor vehicle: License plate, vehicle type, vehicle color, license plate color, vehicle logo, and more (color cannot be recognized in IR mode during night time)	
	Non-motor vehicle: Type (two-wheelers, three-wheelers), color, wearing a helmet or not, passenger (1, 2, 3, or more passengers)	
Network	1 RJ-45 Ethernet port, 10/100/1000M network transmission	
Protocol	UDP, ICMP, IGMP, FTP, DHCP, DNS, DDNS, PPPoE, NTP, SSL, RTP, RTSP, RTCP, UPnP, SMTP, SNMP, IGMP, QoS, 802.1X, IPv4 and IPv6, ONVIF (Profile S, Profile G, Profile T), HTTP, HTTPS, TCP/IP	
Storage	1 Supports maximum 256GB SD card local storage	
Interface Ports	RS-485- 1 Port, RS-232 – 1 Port	
Alarm Input/ Output	2 ch/ 2 ch	
Audio Input/ output	1 ch/1 ch	
IR Range	28 Mtr or better	
Power Supply	12-36V DC, PoE	
Power Consumption	≤ 15W	
Operating Temperature	-35°C to +60°C	
Operating Humidity	10%–90%	
Protection Grade	IP67 or Better	
Certifications	CE,FCC, BIS, UL, ROHS	
2)	4MP VF Bullet Camera Specifications	Compliance (Yes/No) Also Mention Model and Make
Feature	Specification	
Image Sensor	1/3" 4MP Progressive scan CMOS	
Effective Pixels	2688 (H) × 1520 (V)	
Minimum Illumination	0.05Lux@F2.0	
Shutter Speed	Auto/Manual 1/3 s–1/10000 s	
S/N Ratio	>55 dB	
White Balance	Auto/Manual	
Lens	3 mm~13mm Motorized Lens	
Lens Type	Motorized	
Mount Type	φ14	
Max. Aperture	F2.0	
Iris Type	Fixed aperture	
Gain Control (AGC)	Auto/Manual	
Noise Reduction	3D-DNR	
Video Compression	H.265+/H.265/H.264+/H.264	
Back Light Compensation	BLC / HLC / WDR(120dB)	
Video Streaming	Main Stream: (2560 × 1440@25/30fps); 2688 × 1520 (1 fps-20 fps),Sub Stream: (704 × 576@25 fps); (704 × 480@30 fps)	
Resolution	2688×1520(2688×1520);2560×1440(2560×1440);2304×1296(2304×1296);1080P (1920×1080);1.3M(1280×960);720P(1280×720);D1 (704×576/704×480); VGA (640×480);CIF (352×288 /352×240)	
Motion detection	Disable/Enable (3 areas, rectangle)	
Privacy Mask	3 areas or better	
ICR	ICR switch	
ROI	Yes (4 areas)	

Audio Input/Output	1 / 1	
Audio Compression	G.711A	
Mirror	Yes	
Alarm Input/Output	1 / 1	
Smart Detection	Intrusion; tripwire	
Event Trigger	Motion detection, video tampering, no SD card, SD card full, SD card error, network disconnected, IP conflict, illegal access, local alarm, voltage detection, audio abnormal	
Protocol	RTSP; RTP; UDP; RTCP; SMTP; FTP; DHCP; DNS; DDNS; PPPoE; IPv4/v6; QoS; UPnP; NTP; RTMP; Multicast; HTTPS; SFTP; 802.1x; ICMP; IGMP; ONVIF (Profile S/Profile G); CGI; HTTP; TCP; ARP	
Ethernet	RJ-45 (10/100Base-T)	
User Account	18 Users	
IR	IR Range of 58Mtr.	
Micro SD	FTP ; SFTP ; Micro SD Card (support max. 256 GB); NAS	
Operating Temperature	-30°C~+60°C , Less than 95%RH	
Power Source	12V DC/PoE (802.3af)	
Power Consumption	<11W	
Weatherproof Standard	IP67	
Casing	Metal	
Certifications	CE, FCC, BIS, UL, ROHS	
3)	4MP Fixed Lens Vandal Dome Camera Specifications	Compliance (Yes/No) Also Mention Model and Make
Image Sensor	1/3" 4MP Progressive scan CMOS	
Minimum Illumination	0.008 Lux@F1.8	
Effective Pixels	2688 (H) × 1520 (V)	
White Balance	Auto/natural/Manual	
Lens	3.6mm fixed lens	
Gain Control (AGC)	Auto/Manual	
S/N Ratio	>55dB	
Video Compression	H.265+; H.265; H.264	
Back Light Compensation	BLC / HLC / WDR(110dB) or Better	
Video Streaming	Main stream: 2688 × 1520 (1 fps-20 fps) 2560 × 1440 (1 fps-25/30 fps) Sub stream: 704 × 576 (1 fps-25 fps) 704 × 480 (1 fps-30 fps)	
Resolution	4MP (2688 × 1520) 4MP(2560 × 1440) ; 3MP(2304 × 1296); 2MP (1920 × 1080); 1.3M P(1280 × 960); 720P (1280 × 720); D1 (704 × 576/704 ×480); VGA (640 ×480); CIF (352 × 288/352 × 240)	
Motion Detection	3 areas, rectangular	
Privacy Mask	3 areas or better	
ICR	Auto (ICR)/Color/B/W	
ROI	Yes (4 areas)	
Protocol	HTTP; TCP; ARP; RTSP; RTP; UDP; RTCP; SMTP; FTP; DHCP; DNS; DDNS; PPPoE; IPv4/v6; QoS; UPnP; NTP; RTMP; Multicast; HTTPS; SFTP; 802.1x; ICMP; IGMP; ONVIF	
Smart Detection	Tripwire, Intrusion	
Ethernet	RJ-45 (10/100Base-T)	
Event Trigger	Abnormality detection: Motion detection, video tampering, no SD card, SD card full, SD card error, network disconnected, IP conflict, illegal access, voltage detection	
User Account	20 Users	

IR	IR Range of 28 Mtr.	
Micro SD	FTP; Micro SD card (256GB); NAS	
Operating Temperature	-35°C to +55°C	
Humidity	≤95%	
Power Source	12V DC/PoE	
Power Consumption	<8W or Better	
Weatherproof Standard	IP67& IK10	
Casing	Metal	
Certifications	CE,FCC,UL,BIS,ROHS	
4)	2MP Fixed Lens Vandal Dome Camera Specifications	Compliance (Yes/No) Also Mention Model and Make
Image Sensor	1/2.8" 2MP Progressive scan CMOS	
Minimum Illumination	0.003 Lux@F1.8	
Effective Pixels	2688 (H) × 1520 (V)	
White Balance	Auto/natural/Manual	
Lens	3.6mm fixed lens	
Gain Control (AGC)	Auto/Manual	
S/N Ratio	>55dB	
Video Compression	H.265+; H.265; H.264+; H.264; H.264B	
Back Light Compensation	BLC / HLC / WDR(110dB) or Better	
Video Streaming	Main Stream: 1080P(1 ~ 25/30fps), Sub Stream: D1(1-25/30fps)	
Resolution	1080P(1920×1080)/1.3M(1280×960)/720P(1280×720)/D1(704×576/704×480)/VGA(640×480)/CIF(352×288/352×240)	
Motion Detection	OFF/ON (4 areas, rectangular)	
Privacy Mask	4 areas	
ICR	Auto (ICR)/Color/B/W	
ROI	Yes (4 areas)	
Protocol	QoS; UPnP; NTP; RTMP; Multicast; HTTPS; SFTP; 802.1x; ICMP; IGMP; ONVIF ; HTTP; TCP; ARP; RTSP; RTP; UDP; RTCP; SMTP; FTP; DHCP; DNS; DDNS; PPPoE; IPv4/v6	
Smart Detection	Tripwire, Intrusion	
Ethernet	RJ-45 (10/100Base-T)	
Event Trigger	Abnormality detection: Motion detection, video tempering, no SD card, SD card full, SD card error, network disconnected, IP conflict, illegal access, voltage detection	
User Account	20 Users	
IR	IR Range of 28 Mtr.	
Micro SD	FTP; Micro SD card (256GB); NAS	
Operating Temperature	-35°C to +60°C (-40°F to +140°F)	
Humidity	≤95%	
Power Source	12V DC/PoE	
Power Consumption	<10.5W or Better	
Weatherproof Standard	IP67	
Casing	Metal	
Certifications	CE,FCC,UL,BIS,ROHS	
5)	2MP 25X PTZ Camera Specifications	
Image Sensor	1/2.8" 2MP PS CMOS	
Effective Pixels	1920(H) x 1080(V)	
Resolution	2MP	
S/N Ratio	≥54dB	

Minimum Illumination	Color: 0.005 lux@F1.7 B/W: 0.0005 lux@F1.7 0 lux@F1.7 (IR light on)	
Focal Length	4.8mm~120mm	
White Balance	Auto; indoor; outdoor; tracking; manual; sodium lamp	
Max Aperture	F1.6–F3.8	
Focus Control	Auto; Semi-auto; Manual	
Iris	Auto	
AGC Control	Auto / Manual	
Back Light Compensation	BLC / HLC / WDR(120dB)	
ROI	Support	
Motion Detection	Support	
Optical Zoom	25x	
Shutter Speed	1/1s~1/30,000s	
Pan Travel	0°~360° endless, Pan Speed: 0.1° ~ 190°/sec	
Tilt Travel	-10° ~ +85° auto flip 180°, Tilt Speed: 0.1° ~90°/sec	
Manual Speed	Pan: 0.1° ~190° /s; Tilt: 0.1° ~90° /s	
Presets	290	
Preset Speed	Pan: 195° /s; Tilt: 95° /s	
Idle Motion	Preset; Tour; Pattern; Scan	
Day/Night: IR Cut Filter	Auto(ICR) / Color / B/W	
Video Compression	H.265;H.264+; H.264B; H.264M; H.264	
Alarm Event	Motion/tampering detection; network disconnection detection; Security Exception; IP conflict detection; memory card state detection; memory space detection	
Video Streaming	Main stream: 1080P/1.3MP/720P (25/30fps) Sub stream 1: D1/CIF (1–25/30fps) Sub stream 2: 720P (1–25/30fps)	
Advanced Features	Electronic Defog, 4 Pattern, 6 Tour (up to 32 presets per tour), 5 Auto Scan, SMD PLUS Supports	
Networking	1 RJ-45 Port 10/100Base-T	
IVS	Tripwire and intrusion	
Face Detection	Support	
Protocols	RTSP; UDP; SMTP; NTP; DHCP; DNS; DDNS; IPv6; 802.1x; QoS; FTP; UPnP; ICMP; SNMP; SNMP; IGMP; ARP; RTCP; RTP; PPPoE; RTMP; TCP, ONVIF Profile S & G & T; HTTP; HTTPS; IPv4	
Online Device Upgrade	Support	
Alarm	2/1 channel In/Out	
IR Range	90 Mtr.	
Operating Temperature	-35 °C to +60 °C (-40 °F to +149 °F), ≤ 95%RH	
Memory Slot	FTP; Micro SD card (512GB); NAS	
Weatherproof Standard	IP66; TVS 6000 V lightning proof; surge protection; voltage transient protection	
Power Source	12 VDC, 3 A (± 10%) PoE+ (802.3at)	
Power Consumption	Basic: 13 W Max.: 25 W (illuminator + PTZ working)	
Casing	Aluminum	
Certifications	CE, FCC,UL,BIS,ROHS	
6)	64 Ch. 4K Network Video Recorder with 8 SATA Ports	Compliance (Yes/No) Also Mention Model and Make
Processor	Quad-core embedded processor	
Operating System	Embedded LINUX	
User Interface	GUI	

Video Output	2 HDMI , 2 VGA	
Video Resolution	HDMI1: 3840 × 2160 , 1920 × 1080 , 1280 × 1024, 1280 × 720 , 1024 × 768 VGA1: 1920 × 1080 , 1280 × 1024, 1280 × 720 , 1024 × 768 ; HDMI2/VGA2: 1920 × 1080	
Video Display Split	1st Screen: 1/4/8/9/16/25/36/64, 2nd Screen: 1/4/8/9/16	
Channel	64 channel	
Motion Detection	MD Zones: 396(22×18).	
Video Loss	Supports	
Bandwidth Incoming	310Mbps	
Alarm Input	16 channels	
Alarm Output	5 channels	
Hard Disk	8 SATA III ports, up to 10TB Each, 1 eSATA port	
Trigger Events	Recording, PTZ, Tour, Alarm Out, Video Push, Email, FTP, Snapshot, Buzzer and Screen Tips	
Recording Mode	Manual, Schedule (Regular, MD (Motion Detection), Alarm, IVS), Stop	
Search Mode	Time/Date, Alarm, MD & Exact search (accurate to second)	
Backup Mode	USB Device/Network/eSATA Device	
Resolution	12MP, 8MP, 6MP, 5MP, 4MP, 3MP, 1080P, 1.3MP, 720P etc.	
Decoding Capability	4-ch@8MP(30fps), 16-ch@1080P(30fps)	
Playback	Play, Pause, Stop, Rewind, Fast play, Slow Play, Next File, Previous File, Next Camera, Previous Camera, Full Screen, Backup Selection, Digital Zoom	
IVS Feature	ANPR, Face Detection, People Counting, Tripwire, Intrusion, abandoned object, missing object	
ANR	Support	
Max User Account	120 users	
Record Interval	1~120 min (default: 60 min), Pre-record: 1~30 sec, Post-record: 10~300 sec	
Ethernet	2 RJ-45 port (10/100M/1000Mbps) Independent or Joint Working	
Interface Ports	4 USB ports(2 USB2.0, 2 USB3.0), 1 RS485, 1 RS232	
Protocols	HTTP, HTTPS, TCP/IP, IPv4/IPv6, UPnP, SNMP, RTSP, UDP, SMTP, NTP, DHCP, DNS, IP Filter, PPPoE, DDNS, FTP, Alarm Server, IP Search , ONVIF 2.4	
Power Supply	Single, 100V–240V AC, 50 Hz–60 Hz	
Power Consumption	18.7W (without HDD)	
Working Temp	-10 ~+50°C / 10~90%RH / 86~106kpa	
Certifications	CE,FCC,UL,BIS,ROHS	
7)	4 Port Gigabit POE Switch with Fibre Port	Compliance (Yes/No) Also Mention Model and Make
	4 Port Industrial Grade POE Switch with 2 Fiber Port	
8)	16 Port Gigabit POE Switch	Compliance (Yes/No) Also Mention Model and Make
	Support 16 x 100/1000Mbps Base-T RJ45 ports for data transmission and power supply, 2 x 1000 Mbps Base-X SFP slot, Compliant with IEEE802.3, IEEE802.3u, IEEE802.3ab, IEEE802.3z, IEEE802.3x and IEEE802.3af/at standards. IEEE 802.3x-compliant full-duplex flow control and half-duplex backpressure flow control. 8K MAC address table and MAC address auto-learning. 36Gbps backplane bandwidth. Maximum power consumption of a Single Port: 30W; Maximum power	

consumption of the switch: 300W. 4 Modes: Standard, Priority, Extend and VLAN.		
9)	24 Port Gigabit POE Switch	Compliance (Yes/No) Also Mention Model and Make
Support 24 x 100/1000Mbps Base-T RJ45 ports for data transmission and power supply, 2 x 1000 Mbps Base-X SFP slot. Compliant with IEEE802.3, IEEE802.3u, IEEE802.3ab, IEEE802.3z, IEEE802.3x and IEEE802.3af/at standards. IEEE 802.3x-compliant full-duplex flow control and half-duplex backpressure flow control. 8K MAC address table and MAC address auto-learning. 48Gbps backplane bandwidth. Maximum power consumption of a Single Port: 30W; Maximum power consumption of the switch: 300W. 4 Modes: Standard, Priority, Extend and VLAN.		
10)	CAT6 Cable	Compliance (Yes/No) Also Mention Model and Make
Insulation Material Polyethylene Sequential Length Marking Provided 4 Pair Separator Design 24 AWG cable		
11)	4U Rack Outdoor	Compliance (Yes/No) Also Mention Model and Make
DVR walls Mount is specially designed to safeguard our DVRs from Theft Basic frame: CRCA (MS SHEET) 0.6mm thick Construction– Welded Top & Bottom cover: cable entry cut-outs Front Door: Lockable–Toughened glass with Lock & Key Toughened Glass used as an excellent thief deterrent. PDU 3 Sockets, 1U cantilever tray, Fan Included Standard finish: Powder coated Dual-Tone Gray Color - fits in well with all indoor / outdoor aesthetics		
12)	9U Rack Indoor	Compliance (Yes/No) Also Mention Model and Make
Wall mount 9U 630D With Front Glass Door Lock & Key; with toughened glass; with 1U cable Manager; Fan; 6 socket PDU (550MM x 630MM)		
13)	Hard Disk	Compliance (Yes/No) Also Mention Model and Make
Surveillance Hard Disk for 30 Days of 8TB Each		
14)	Connector	Compliance (Yes/No) Also Mention Model and Make
RJ45 Connector D-Link For Connectivity		
15)	Professional Display Panel 24x7 size 55" LED	Compliance (Yes/No) Also Mention Model and Make
Features		Specifications
Make & Model		
Screen Size	55 Inch LED Back Lit Panel	
Panel Technology	IPS	

Native Resolution	3840 x 2160 (UHD)4K	
Brightness	500cd/m2 or more	
Contrast Ratio	1100 : 1 or more	
Operating System	Web OS	
Orientation	Portrait & Landscape	
Viewing Angle(H x V)	178 x 178	
Operation Hours	24x7 Hrs support	
Hardware		
	AM - 2 GB, 8 GB Storage	
Connectivity - Input Ports		
Digital	HDMI -2 or more , DVI-D-1 or more Display Port	
External Control	RS232C(1), RJ45(1), IR(1, Internal)	
USB	USB -1 or more	
Output Ports		
Digital	HDMI/ Display Port -1 or more	
External Control	Main : RS232C(1),	
Built WIFI	Yes	
Audio Power	20W(10W x 2) or above	
Power Supply	100 – 240 V, 50/60 Hz	
Certifications(Safety/EMC/ER)	UL/CB,FCC ,BIS, RoHS	
Warranty	3 years on site comprehensive warranty	
Wall mount	Required	
Accessories	Remote control, Standard cable, Table top box	
16)	6 KVA Online UPS with 30 min Backup	Compliance (Yes/No) Also Mention Model and Make
Capacity in Kva/kw	6 KVA/4.8 KW	
UPS System Description	Supply of 6 KVA/ 4.8KW True Online , DSP Controlled online UPS with 1 phase AC input and 1 phase AC output with 30 min backup with 12V SMF batteries Bank with Rack (min. VAH required =4992 VAH) ,The UPS should be with IGBT Based Rectifier and IGBT based Inverter both and with LCD/LED display for monitoring of its status	
Input (Rectifier)		
Technology	IGBT PWM BASED TECHNOLOGY for Rectifier & Inverter both	
Primary source voltage	230 VAC 1 Phase	
Input Voltage Range	160-300V AC	
Power device	IGBT Based Rectifier	
Input Frequency	50Hz /60 Hz (Auto Sensing)	
Input power factor	> 0.99	
Output (Inverter)		
Technology	IGBT Based Inverter	
DC volts	240/192VDC	
Output voltage	220/230/240V AC 1 Phase	
Output frequency	50 Hz (+/- 0.1Hz)	

Output wave form	Pure Sine Wave	
Output Power Factor	not less than 0.8	
Harmonic distortion	THD <3% for linear loads, < 5% for non - linear loads.	
overall Efficiency	upto 92% without Isolation	
Crest factor	3:1	
Overload	up to 110% for 3 Min. , upto 125% for 30 sec	
General		
LCD Pannel	DSP Controlled LCD Panel	
Smart Battery Managmnt	Should be inbuilt within the UPS System	
Cold Start Feature	Cold start feature required as standard in UPS	
<i>Back-up</i>	30 min with Min VAH Required -4992 VAH on 12V SMF batteries	
Proffered Battery Make	Exide /Amaron-Quanta/Panasonic	
warranty	3 years on UPS &3 years on Batteries	
LCD Display information	Normal Mode/Load on Battery/Load on Bypass/System Fault	
Audible Alarm	Mains Failure/Low battery /UPS Warning /Overload/Fault & Bypass Mode etc	
Communication interface	RS232/USB port for software interface and SNMP optional for remote Monitoring	
Ambient temperature	Standard: 0 - 40 Deg.C	
Noice Level	<60dB at 1 Meter	
Cooling	Forced Air	
CERTIFICATIONS & Standard	ISO 9001 & 14001 & CE, BIS and PEP Certified product & ROHS Compliance	
Compatibility	DG Set	
Proffered Brand	APC /Emerson -Vertiv /Legrand-Numeric	
Other Martial		Compliance (Yes/No) Also Mention Model and Make
17)	Supplying and installation of OFC,6 Core Single Mode	
18)	3 Core Power Cable (In Meter)	
19)	Pigtail LC-LC Type (Per Pcs)	
20)	HDMI Cable - 10 Meter	
21)	Junction Box	
22)	Media Converter	
23)	Fiber Splicing (Single Point)	
24)	PVC conduit Heavy Duty 25 mm dia 2 mm Thickness with greenline printing	
25)	HDPE 40 mm	
26)	Hard soil Digging/Road Crossing Per meter	
27)	Soft Soil Digging 4 Ft. Minimum (As per Actual Basis)	

28)	15 Ft Pole For Outside Enclosure	
29)	Junction Box For Camera to protect Cable & Connector joint	
30)	Accessories - Flexible pipe, Power Socket etc	

Note:- Technical compliance to be filled in the letterhead of the bidder and duly signed by the signing authority. To be submitted along with the technical bid

ANNEXURE III

ACCEPTANCE OF TERMS AND CONDITONS

(On Company Letter Head)

To,

The Director (Admn.),
Chandigarh Judicial Academy,
Chandigarh.

Subject:- Acceptance of all terms and conditions mentioned in RPF document for Tender Reference No. _____ for supply, Installation, Testing & Commissioning of 115 IP CCTV Cameras in Chandigarh Judicial Academy.

Dear Madam,

1. I / We hereby certify that I / we have read the entire terms and conditions of the tender documents from Page No. _____ to _____ (including all documents like annexure(s), schedule(s), etc .), which form part of the contract agreement and I / we shall abide hereby by the terms / conditions / clauses contained therein.
2. The corrigendum(s) issued from time to time by your department/ organisation too have also been taken into consideration, while submitting this acceptance letter.
3. I / We hereby unconditionally accept the tender conditions of above mentioned tender document(s) / corrigendum(s) in its totality / entirety.
4. I / We do hereby declare that our Firm has not been blacklisted/ debarred/ terminated/ banned by any Govt. Department/Public sector undertaking.
5. I / We certify that all information furnished by our Firm is true & correct and in the event that the information is found to be incorrect/untrue or found violated, then your department/organization shall without giving any notice or reason therefore or summarily reject the bid or terminate the contract, without prejudice to any other rights or remedy including the forfeiture of the full said earnest money deposit absolutely.

Yours faithfully

(Signature of the bidder, with official seal)

ANNEXURE IV

TECHNICAL BID

Qualifying criteria for Tender

1. Name, Address and Telephone no. of bidder:- _____

2. Name of the Proprietor/Partner/Director:- _____
3. In case of partnership firm whether Registered under the relevant Act.:-
Yes/No
4. Copy of GST Registration attached:- Yes/No
5. Whether Manufacturer or Dealer:-
6. OEM Proof attached (in case of Manufacturer): Yes/No
7. Dealership certificate attached (In case of dealer):- Yes/No

[For “Yes” attach all relevant documents (mandatory)]

I/we have read the terms & a condition of the Tender Notice and it is/are to certify that the information furnished above is true & correct.

Signature _____

Name of Authorized Signatory _____

Designation of Authorized Signatory _____

ANNEXURE V
TENDER FORMS
(On Company Letter Head)
BIDDER INFORMATION

Sr. No.	Description	Remarks field
1	Name of the Bidder/Firm	
2	Whether the Company or Authorized Dealers	
4	If dealer, dealership No. (Please attach certificate)	
5	Address of the firm	
6	Permanent Account Number	
7	GST No.	
8	Registered Office address	
9	Office address	
10	Email id	
11	Phone/Mobile nos.	
12	Year of Establishment	
13	Status of the firm (Sole Proprietorship/ Partnership/ Ltd. Co./ Others)	
14	Name of Director/Partner/Proprietor	
15	Name of the person who has power of attorney or Authorized Signatory	
16	Any Other Information	